In the Specification

Please replace the paragraph beginning at page 1, line 5, with the following rewritten paragraph:

--   The following U.S. patent applications filed concurrently herewith are assigned to the same assignee hereof and contain subject matter related, in certain respects, to the subject matter of the present application, the teachings of which applications are incorporated herein by this reference:

Serial No. [09/_____] 09/657,215, entitled "System and Method for Clustering Servers for Performance and Load Balancing", assignee docket END9-2000-0104-US1;

Serial No. [09/_____] 09/657,216, entitled "System and Method for Front End Business Logic and Validation", assignee docket END9-2000-0105-US1;

Serial No. [09/_____] 09/657,217, entitled "System and Method for Data Transfer With Respect to External Applications", assignee docket END9-2000-0106-US1;

Serial No. [09/_____] 09/656,037, entitled "System and
Method for Providing a Relational Database Backend"~,
~~assignee docket END9-2000-0107-US1~~;

Serial No. [09/_____] 09/656,803, entitled "System and
Method for Providing a Role Table GUI via Company Group"~,
~~assignee docket END9-2000-0108-US1~~;

Serial No. [09/_____] 09/656,967, entitled "System and
Method for Populating HTML Forms Using Relational Database
Agents"~, assignee docket END9-2000-0109-US1~; and

Serial No. [09/_____] 09/657,196, entitled "System and
Method for Catalog Administration Using Supplier Provided
Flat Files"~, assignee docket END9-2000-0110-US1~.

--.

Please replace the Abstract paragraph beginning at page 86,
line 5, with the following rewritten paragraph:

-- A hybird Notes/DB2 environment provides a requisition
catalog on the Web. Client browsers are connected to a GWA
infrastructure including a first network dispatcher and a
virtual cluster of Domino.Go servers. The network

END920000111US1   3   S/N 09/657,195

dispatcher sprays out browser requests among configured

.nsf servers in virtual server cluster. Communications from

this virtual server cluster are, in turn, dispatched by a

second network dispatcher ~~servers~~ in a Domino cluster.

External objects, primarily for a GUI, are served in a .dfs

and include graphic files, Java files, HTML images and

net.data macros. The catalog is built from supplier

provided flat files. A front end is provided for business

logic and validation, as also is a relation database

backend. HTML forms are populated using relational database

agents. A role table is used for controlling access both to

Notes code and DB2 data. Large amounts of data ~~is~~ <u>are</u>

quickly transferred using an intermediate agent and

window.--.